

anti- ABCD1 antibody

Product Information

Catalog No.:	FNab00035
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Probable transporter. The nucleotide-binding fold acts as an ATP-binding subunit with ATPase activity.

Immunogen information

Immunogen:	ATP-binding cassette, sub-family D(ALD), member 1
Synonyms:	ABC42, ABCD1, Adrenoleukodystrophy protein, ALD, ALDP, AMN
Observed MW:	80 kDa
UniprotID :	P33897

Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP
Recommended dilution:	WB: 1:500-1:5000; IHC: 1:20-1:200; IF: 1:20-1:200; IP: 1:200-1:2000
Image:	

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human lung cancer using FNab00035(ABCD1 antibody) at dilution of 1:50



IP Result of anti-ABCD1 (IP:FNab00035, 4ug; Detection:FNab00035 1:500) with mouse liver tissue lysate 5000ug.



human brain tissue were subjected to SDS PAGE followed by western blot with FNab00035(ABCD1 antibody) at dilution of 1:300

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com