

anti- 14-3-3 antibody

Product Information

Catalog No.: FNab00002

Size: 100μg Form: liquid

Purification: Protein A+G purification

Purity: ≥95% as determined by SDS-PAGE

Host: Mouse

Clonality: monoclonal

Clone ID: 8D2 IsoType: IgG1

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

14-3-3 theta(also known as YWHAQ, or 14-3-3 tau) is a member of 14-3-3 proteins which were the first phosphoserine/phosphothreonine-binding proteins to be discovered. 14-3-3 family members interact with a wide spectrum of proteins and possess diverse functions. Mammals express seven distinct 14-3-3 isoforms(gamma, epsilon, beta, zeta, sigma, theta, tau) that form multiple homo-and hetero-dimmers. 14-3-3 proteins display the highest expression levels in the brain, and have been implicated in several neurodegenerative diseases, including Alzheimer's disease and amyotrophic lateral sclerosis. This antibody was raised against full-length 14-3-3 theta.

Immunogen information

Immunogen: tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation

protein, theta polypeptide

Synonyms: 14 3 3, 14 3 3 protein T cell, 14 3 3 protein tau, 14 3 3 protein theta, 1C5,

HS1, Protein HS1, YWHAQ

Observed MW: 28 kDa Uniprot ID: P27348

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>



Application


Reactivity: Human, Mouse, Rat Tested Application: ELISA, WB, IHC, IF

Recommended dilution: WB: 1:1000-1:10000; IHC: 1:20-1:200; IF: 1:20-1:200

Image:




Immunohistochemistry of paraffin-embedded rat brain tissue slide using FNab00002(14-3-3 Antibody) at dilution of 1:50



Immunofluorescent analysis of HepG2 cells using FNab00002(14-3-3 Antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Mouse IgG(H+L)





human brain tissue were subjected to SDS PAGE followed by western blot with FNab00002(14-3-3 antibody) at dilution of 1:5000