

## anti- ARID3A antibody

### Product Information

Catalog No.:	FNab00566
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

This gene encodes a member of the ARID (AT-rich interaction domain) family of DNA binding proteins. It was found by homology to the Drosophila dead ringer gene, which is important for normal embryogenesis. Other ARID family members have roles in embryonic patterning, cell lineage gene regulation, cell cycle control, transcriptional regulation, and possibly in chromatin structure modification.

### Immunogen information

Immunogen:	AT rich interactive domain 3A (BRIGHT-like)
Synonyms:	DRIL1, DRIL3, DRX, E2FBP1
Observed MW:	100 kDa
Uniprot ID :	Q99856

### Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP
Recommended dilution:	WB: 1:500 - 1:2000; IHC: 1:50 - 1:200; IP: 1:20 - 1:50

1

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889

[www.fn-test.com](http://www.fn-test.com)

Image:



Immunohistochemistry of paraffin-embedded human oophoroma using FNab00566(ARID3A antibody) at dilution of 1:100



IP Result of anti-ARID3A (IP:FNab00566, 4ug; Detection:FNab00566 1:1000) with K-562 cells lysate 3200ug.

K-562 cells were subjected to SDS PAGE followed by western blot with FNab00566(ARID3A antibody) at dilution of 1:1000

