

anti- ANO10 antibody

Product Information

Catalog No.:	FNab00441
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Does not exhibit calcium-activated chloride channel(CaCC) activity. Can inhibit the activity of ANO1.

Immunogen information

Immunogen:	anoctamin 10
Synonyms:	ANO10, anoctamin 10, FLJ10375, TMEM16K, Transmembrane protein 16K
Observed MW:	76 kDa
UniprotID :	Q9NW15

Application


Reactivity:	Human, Mouse
Tested Application:	ELISA, WB, IP, IHC
Recommended dilution:	WB: 1:500-1:5000; IP: 1:200-1:2000; IHC: 1:50-1:500
Image:	

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human testis tissue slide using FNab00441(ANO10 Antibody) at dilution of 1:200



IP Result of anti-ANO10 (IP:FNab00441, 3ug; Detection:FNab00441 1:500) with mouse brain tissue lysate 3600ug.



mouse brain tissue were subjected to SDS PAGE followed by western blot with FNab00441(ANO10 Antibody) at dilution of 1:1000

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com