

anti- ATG16L2 antibody

Product Information

Catalog No.:	FNab00670
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

ATG16L2 also named as Autophagy related protein 16-2 is a 619 amino-acid protein, Which belongs to the WD repeat ATG16 family. ATG16L2 contains 7 WD repeats and localizes in the cytoplasm. There are three isoforms of ATG16L2 and the molecular weight of three isoform is respectively 69kDa, 56kDa and 31kDa. ATG16L2 may play a role in autophagy.

Immunogen information

Immunogen:	ATG16 autophagy related 16-like 2(S. cerevisiae)
Synonyms:	APG16 like 2, ATG16L2, Autophagy related protein 16 2, WDR80
Observed MW:	70 kDa, 30 kDa
UniprotID :	Q8NAA4

Application

Reactivity:	Human, Mouse
Tested Application:	ELISA, WB, IP, IF
Recommended dilution:	WB: 1:500-1:2000; IP: 1:500-1:1000; IF: 1:50-1:500


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)


Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com

Image:



IP Result of anti-ATG16L2 (IP:FNab00670, 3ug;
Detection:FNab00670 1:700) with mouse testis
tissue lysate 4800ug



mouse testis tissue were subjected to SDS PAGE
followed by western blot with
FNab00670(ATG16L2 Antibody) at dilution of
1:1000

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan,
Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com